

















	NEW STUD WALL
	NEW CMU WALL
	DOOR TYPES: REFER TO A-500 SERIES DRAWINGS.
	WINDOW TYPES: REFER TO A-500 SERIES DRAWINGS.
	LOUVER TYPES: REFER TO A-500 SERIES DRAWINGS.
	WALL TYPES: REFER TO A-500 SERIES DRAWINGS.
	KEY NOTE
	FINISH TYPE: REFER TO G-001 FOR FINISH SCHEDULE
	SMOKE DETECTOR UL APPROVED
	DIRECTIONAL, RECESSED CAN LIGHT
	RECESSED CAN LIGHT
	SURFACE MOUNTED LIGHT
	JUNCTION BOX FOR CEILING FAN
	SURFACE MOUNTED FLUORESCENT LIGHT
	PENDENT LIGHT
	GYPSUM BOARD CEILING
	24X48 SUSPENDED ACOUSTICAL TILES.

[illegible]



 COUNTY OF HAWAII
DEPARTMENT OF PARKS & RECREATION
101 PAUAAH STREET, SUITE 6 | HILO, HAWAII 96720 | PHONE: 808.961.6311 | FAX: 808.961.6411

**PAHOA PARK MASTER PLAN
PHASE I - BID SUBMITTAL 2014-02-10**

JOB NO. : PR-4234
PLAN SHEET
DESCRIPTION: COMFORT STATION - FLOOR AND REFLECTED CEILING PLANS

PAHOA, PUNA, HAWAII
TMK: (3) 1-5-002:020

DESIGNED BY:DF	<div>CS101</div>	#### OF #### SHEETS
DRAWN BY: DF		DATE:
CHECKED BY: SC		2014-02-10
SHEET NO.		



NOTES - ELEVATION/SECTION

1. REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION.
2. REFER TO SHEET G-401 FOR MOUNTING HEIGHTS OF FIXTURES AND GRAB BARS.
3. REFER TO G-001 FOR FINISH LEGEND.
4. REFER TO STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.
5. REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION.
6. REFER TO ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
7. CONCRETE WALK/SLAB: SLOPE AWAY FROM BUILDING, U.N.O. BROOM FINISH.
8. CONCRETE CURB
9. METAL GUTTER AND DOWNSPOUT; PAINT TO MATCH MP-1.
10. LOCKABLE MOTORIZED OVERHEAD COILING DOOR.
11. SST COUNTER
12. SST SCULLERY SINK
13. LINE OF BEAM ABOVE
14. HI-LO DRINKING FOUNTAIN
15. MP-1 PERFORATED SOFFIT VENT TRIM AT PERIMETER, TYP. ALL SIDES.
16. EXPOSED CONCRETE FOOTING
17. STEEL SWING GATE WITH 2" TUBE FRAME AND 3/8" X 1 1/2" PLATE INFILL GRILL; PAINT TO MATCH PT-2.
18. HOLLOW METAL DOOR; PAINT TO MATCH PT-2.
19. LINE OF SOFFIT BEYOND.
20. SST PROJECTING HEAD, JAMB AND SILL INTEGRAL WITH COUNTERTOP AT OPENING.
21. SST TOILET PARTITION DOORS WITH GRAB BAR AND COAT HOOK, TYP.
22. WALL MOUNTED COUNTER SUPPORT BRACKET, (WHITE).
23. CHAIN LINK FENCE SYSTEM
24. HOSE BIB, TYP.
25. SAFETY CABLE POST, TYP.
26. PROTECTIVE PADDING: 3 SIDES AROUND STEEL COLUMN IN THE PLAY COURTS AREA, 7'-6" HIGH U.N.O.
27. ROLL UP GYM DIVIDER; SEE SHEET PC511
28. SCORE BOARD 7'X 5'-6" MOUNTED ON STEEL CHANNEL FRAME ON METAL PANEL. 13' ABOVE GROUND. SEE DETAIL B3/PC510.

FINISH LEGEND

- | | |
|-------|--|
| ACT-1 | ACOUSTICAL CEILING TILE: 24"x48" REGULAR, (WHITE). |
| CF-1 | CONCRETE FLOOR; SEALED |
| CMU-1 | CONCRETE MASONRY UNIT: 8"x16"x8" RUNNING BOND PATTERN, PAINT FINISH, (PT-2). |
| CMU-2 | CONCRETE MASONRY UNIT: 8"x16"x8" STACKED BOND PATTERN, PAINT FINISH, (PT-3). |
| CMU-3 | CONCRETE MASONRY UNIT: 8"x16"x4" SCREEN BLOCK, (TILECO #314), PAINT FINISH, (PT-3). |
| CMU-4 | CONCRETE MASONRY UNIT: 8"x16"x6", PAINT FINISH (PT-3). |
| FRP-1 | FIBERGLASS REINFORCED PANEL: PEBBLED SURFACE, (WHITE PANELS AND TRIMS). |
| GWB-1 | GYPSUM WALL BOARD: ABUSE RESISTANT |
| GWB-2 | GYPSUM WALL BOARD: MOISTURE RESISTANT |
| LVR-1 | LOUVER: 4" STORM RESISTANT, (CUSTOM COLOR TO MATCH PT-2). |
| MP-1 | CORRUGATED METAL PANEL SIDING AND TRIMS OVER WATERPROOF MEMBRANE ON PLYWOOD SHEATHING, (CUSTOM COLOR TO MATCH PT-4). |
| MP-2 | CORRUGATED METAL PANEL SIDING AND TRIMS OVER FRAMING, (CUSTOM COLOR TO MATCH PT-4). |
| MT-1 | MOSAIC TILE: 2"x1" THRU BODY COLOR WITH STRAIGHT JOINTS, BLEND (DALTILE KEYSTONES 50%, DESERT GREY, 25% CYPRESS, 25% PEPPER WHITE). COVE BASE AND BULLNOSE TILES AT OUTSIDE CORNERS. |
| PT-1 | PAINT: SHERWIN WILLIAMS 7005 "PURE WHITE" |
| PT-2 | PAINT: SHERWIN WILLIAMS 6198 "SENSIBLE HUE" |
| PT-3 | PAINT: SHERWIN WILLIAMS 6199 "RARE GRAY" |
| PT-4 | PAINT: SHERWIN WILLIAMS 6193 "PRIVILEGE GREEN" |
| RAF-1 | RESILIENT ATHLETIC FLOORING |
| RB-1 | RUBBER BASE: 4" STANDARD TOE, (ROPPE 150 "DARK GRAY"). |
| RF-1 | ROOF: INSULATED METAL STANDING SEAL PANEL SYSTEM AND TRIMS OVER WATERPROOF MEMBRANE ON PLYWOOD SHEATHING, (CUSTOM COLOR TO MATCH PT-4). |
| RF-2 | ROOF: INSULATED METAL STANDING SEAL PANEL SYSTEM AND TRIMS OVER FRAMING, (CUSTOM COLOR TO MATCH PT-4). |
| RS-1 | RESILIENT TILE FLOORING: VINYL COMPOSITION TILE 12"x12", (FORTRESS ELEMENT "PEBBLE" FE-2030). |
| WDW-1 | WINDOW WALL: STANDARD 4'-0" WIDE TRANSLUCENT VERTI-KAL WALL PANEL WITH 8" CELLS, (WHITE), AND MULLIONS, (CUSTOM COLOR TO MATCH PT-2). |



WCITARCHITECTURE

725 KAPIOLANI BOULEVARD, SUITE C-400
HONOLULU, HAWAII 96813
PHONE (808) 592-2345

www.wdltarch.com
wdlt@wdltarch.com



五、

Robert Iopa, AIA

MARK	DATE	DESCRIPTION
△	2014-04-10	ADD3-REVISED KEYNOTE REF
REVIEWED:		
DEPARTMENT OF PARKS AND RECREATION		DATE

COUNTY OF HAWAII
DEPARTMENT OF PARKS & RECREATION
101 PALUAHI STREET, SUITE 6 / HILO, HAWAII 96720 / PHONE: 808.961.8311 / FAX: 808.961.8411

PAHOA PARK MASTER PLAN
PHASE I - BID SUBMITTAL 2014-02-10

JOB NO.: PR-4234
PAHOA, PUNA, HAWAII

AN SHEET
SCRIPTION: COMFORT STATION - BUILDING SECTIONS

DATE: 004.00.00

SHEET NO. CS302

OF #### SHEETS

30



PRINT DATE: 14 April 2014



A2



GENERAL NOTES - INTERIOR ELEV

1. REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION.
2. REFER TO SHEET G-401 FOR MOUNTING HEIGHTS OF FIXTURES AND GRAB BARS.
3. REFER TO G-001 FOR FINISH LEGEND
4. CONCRETE CURB
5. LOCKABLE MOTORIZED OVERHEAD COILING DOOR
6. SST COUNTER W/ INTEGRAL BACKSPLASH
7. SST SCULLERY SINK
8. HI-LO DRINKING FOUNTAIN
9. HOLLOW METAL DOOR; PAINT TO MATCH PT-2.
10. SST PROJECTING HEAD, JAMB, AND SILL INTEGRAL WITH COUNTERTOP AT OPENING.
11. SST TOILET PARTITION DOORS WITH GRAB BAR AND COAT HOOK, TYP.
12. EXPOSED CONCRETE CURB
13. WALL MOUNTED COUNTER SUPPORT BRACKET, (WHITE).
14. EXPOSED CMU WALL AT BASE.
15. STEEL SWING GATE WITH 2" TUBE FRAME AND 3/8" x 1 1/2" PLATE INFILL GRILL; PAINT TO MATCH PT-2.

ROOM FINISH LEGEND

ACT	ACOUSTICAL CEILING TILE
CT	CERAMIC TILE
CPT	CARPET TILE/CARPET
CS	CONCRETE SEALER
EC	EXPOSED CONCRETE
FRP	FIBERGLASS REINFORCED PANEL
HT	HARD TILE
HTB	HARD TILE BASE
PC	PAINTED CONCRETE
PT	PAINT
RF	RESILIENT FLOORING
SS	SOLID SURFACE
SST	STAINLESS STEEL

LEGEND

- | ① | KEY NOTE |
|-------|---|
| MP-1 | FINISH TYPE: REFER TO G-001 FOR FINISH SCHEDULE |
| ACT-1 | ACOUSTICAL CEILING TILE-24"x48" TEGULAR (WHITE) |
| CF-1 | CONCRETE FLOOR-SEALED |
| CMU-1 | CONCRETE MASONRY UNIT-8"x16"x8" RUNNING BOND PATTERN, PAINT FINISH (PT-2) |
| CMU-2 | CONCRETE MASONRY UNIT-8"x16"x8" STACKED BOND PATTERN, PAINT FINISH (PT-3) |
| CMU-3 | CONCRETE MASONRY UNIT-8"x16"x4" SCREEN BLOCK (TILECO #314), PAINT FINISH (PT-3) |
| CMU-4 | CONCRETE MASONRY UNIT-8"x16"x6", PAINT FINISH (PT-3) |
| FRP-1 | FIBERGLASS REINFORCED PANEL- PEBBLED SURFACE (WHITE PANELS AND TRIMS) |
| GWB-1 | GYPSON WALL BOARD-ABUSE RESISTANT |
| GWB-2 | GYPSON WALL BOARD-MOISTURE RESISTANT |
| LVR-1 | LOUVER- 4" STORM RESISTANT, (CUSTOM COLOR TO MATCH PT-2) |
| MP-1 | CORRUGATED METAL PANEL SIDING AND TRIMS OVER WATERPROOF MEMBRANE ON PLYWOOD SHEATHING, (CUSTOM COLOR TO MATCH PT-4) |
| MP-2 | CORRUGATED METAL PANEL SIDING AND TRIMS OVER FRAMING, (CUSTOM COLOR TO MATCH PT-4) |
| MT-1 | MOSAIC TILE-2"x1" THRU BODY COLOR WITH STRAIGHT JOINTS, BLEND, (DALITILE KEYSTONES 50% DESERT GREY, 25% CYPRESS, 25% PEPPER WHITE). COVE BASE AND BULLNOSE TILES AT OUTSIDE CORNERS |
| PT-1 | PAINT-(SHERWIN WILLIAMS 7005 "PURE WHITE") |
| PT-2 | PAINT-(SHERWIN WILLIAMS 6198 "SENSIBLE HUE") |
| PT-3 | PAINT-(SHERWIN WILLIAMS 6199 "RARE GRAY") |
| PT-4 | PAINT-(SHERWIN WILLIAMS 6193 "PRIVILEGE GREEN") |
| RAF-1 | RESILIENT ATHLETIC FLOORING |
| RB-1 | RUBBER BASE-4" STANDARD TOE, (ROPPE 150 "DARK GRAY") |
| RF-1 | ROOF-INSULATED METAL STANDING SEAL PANEL SYSTEM AND TRIMS OVER WATERPROOF MEMBRANE ON PLYWOOD SHEATHING, (CUSTOM COLOR TO MATCH PT-4). |
| RF-2 | ROOF-INSULATED METAL STANDING SEAL PANEL SYSTEM AND TRIMS OVER FRAMING, (CUSTOM COLOR TO MATCH PT-4). |
| RS-1 | RESILIENT TILE FLOORING-VINYL COMPOSITION TILE 12"x12", (FORTRESS ELEMENT "PEBBLE" FE-2030). |
| WDW-1 | WINDOW WALL-STANDARD 4'-0" WIDE TRANSLUCENT VERTI-KAL WALL PANEL WITH 8" CELLS, (WHITE) AND MULLIONS, (CUSTOM COLOR TO MATCH PT-2). |



WCITARCHITECTURE

725 KAPIOLANI BOULEVARD, SUITE C-400
HONOLULU, HAWAII 96813
PHONE (808) 592-2345

www.wdltarch.com
wdlt@wdltarch.com

www.wdltarch.com
wdlt@wdltarch.com



上ノ下

4/30/2014	Exp. Date
Robert Iopa, AIA	

THIS WORK WAS PREPARED BY ME OR UNDER MY SUPERVISION AND CONSTRUCTION OF THIS PROJECT WILL BE UNDER MY OBSERVATION.

NOTE: CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AT JOB BEFORE PROCEEDING WITH

WORK.

MARK	DATE	DESCRIPTION
△	2014-04-10	ADD3-REVISED KEYNOTE REF
REVIEWED:		
ACCOMPLISHMENT OF DAPAS AND DISCUSSION		DATE



COUNTY OF HAWAII
DEPARTMENT OF PARKS & RECREATION
01 PAUAAH STREET, SUITE 6 / HILO, HAWAII 96720 / PHONE: 808.961.8311 / FAX: 808.961.8411

PAHOA PARK MASTER PLAN
PHASE I - BID SUBMITTAL 2014-02-10

PAHOA, PUNA, HAWAII

JOB NO.: PR-4234

PLAN SHEET
DESCRIPTION: COMFORT STATION - INTERIOR ELEVATIONS

PLAN SHEET DESCRIPTION:

DATE: 2014-08-18

DATE: 00/00/00

PRINT DATE: 14 April 2014